

## Patient History

Name \_\_\_\_\_ DOB \_\_\_\_\_ Age \_\_\_\_\_ Date \_\_\_\_\_

1. Describe the current problem that brought you here? \_\_\_\_\_  
\_\_\_\_\_

2. When did your problem first begin? \_\_\_\_\_

3. Was your first episode of the problem related to a specific incident? Yes/No

Please describe and specify date \_\_\_\_\_  
\_\_\_\_\_

4. Since that time is it: staying the \_\_\_\_\_ same \_\_\_\_\_ getting worse \_\_\_\_\_ getting better

Why or how? \_\_\_\_\_

5. If pain is present rate pain on a 0-10 scale 10 being the worst. \_\_\_\_\_

6. Describe the nature of the pain (i.e. constant burning, intermittent ache) \_\_\_\_\_  
\_\_\_\_\_

7. Describe previous treatment/exercises \_\_\_\_\_  
\_\_\_\_\_

8. Activities/events that cause or aggravate your symptoms. Check/circle all that apply

Sitting greater than \_\_\_\_\_ minutes  With cough/sneeze/straining

Walking greater than \_\_\_\_\_ minutes  With laughing/yelling

Standing greater than \_\_\_\_\_ minutes  With lifting/bending

Changing positions (ie. - sit to stand)  With cold weather

Light activity (light housework)  With triggers i.e. /key in door

Vigorous activity/exercise (run/weight lift/jump)  With nervousness/anxiety

Sexual activity  No activity affects the problem

Other, please list \_\_\_\_\_

9. What relieves your symptoms? \_\_\_\_\_  
\_\_\_\_\_

10. How has your lifestyle/quality of life been altered/changed because of this problem?

Social activities (exclude physical activities), specify \_\_\_\_\_

Diet /Fluid intake, specify \_\_\_\_\_

Physical activity, specify \_\_\_\_\_

Work, specify \_\_\_\_\_

Other \_\_\_\_\_

11. Rate the severity of this problem from 0 -10 with 0 being no problem and 10 being the worst \_\_\_\_\_

12. What are your treatment goals/concerns? \_\_\_\_\_  
\_\_\_\_\_

**Since the onset of your current symptoms have you had:**

Y/N Fever/Chills  Y/N Malaise (unexplained tiredness)

Y/N Unexplained weight change  Y/N Unexplained muscle weakness

Y/N Dizziness or fainting  Y/N Night pain/sweats

Y/N Change in bowel or bladder functions  Y/N Numbness / Tingling

Y/N Other /describe \_\_\_\_\_

Date of Last Physical Exam \_\_\_\_\_ Tests performed \_\_\_\_\_  
\_\_\_\_\_

**General Health:** Excellent Good Average Fair Poor Occupation \_\_\_\_\_

Hours/week \_\_\_\_\_ On disability or leave? \_\_\_\_\_ Activity Restrictions? \_\_\_\_\_

**Activity/Exercise:** None 1-2 days/week 3-4 days/week 5+ days/week

Describe \_\_\_\_\_

**Mental Health:** Current level of stress High\_ Med\_ Low\_ Current psych therapy? Y/N

**Have you ever had any of the following conditions or diagnoses? Circle all that apply**

Cancer	Stroke	Emphysema/chronic bronchitis
Heart problems	Epilepsy/seizures	Asthma
High Blood Pressure	Multiple sclerosis	Allergies-list below
Ankle swelling	Head Injury	Latex sensitivity
Anemia	Osteoporosis	Hypothyroid/ Hyperthyroid
Low back pain	Chronic Fatigue Syndrome	Headaches
Sacroiliac/Tailbone pain	Fibromyalgia	Diabetes
Alcoholism/Drug problem	Arthritic conditions	Kidney disease
Childhood bladder problems	Stress fracture	Irritable Bowel Syndrome
Depression	Acid Reflux /Belching	Hepatitis
Anorexia/bulimia	Joint Replacement	Sexually transmitted disease
Smoking history	Bone Fracture	Physical or Sexual abuse
Vision/eye problems	Sports Injuries	Raynaud's (cold hands and feet)
Hearing loss/problems	TMJ/ neck pain	Pelvic pain
Other/Describe _____		

Surgical /Procedure History

Y/N	Surgery for your back/spine	Y/N	Surgery for your bladder/prostate
Y/N	Surgery for your brain	Y/N	Surgery for your bones/joints
Y/N	Surgery for your female organs	Y/N	Surgery for your abdominal organs
Other/describe _____			

Ob/Gyn History (females only)

Y/N	Childbirth vaginal deliveries #_	Y/N	Vaginal dryness
Y/N	Episiotomy #__	Y/N	Painful periods
Y/N	C-Section #____	Y/N	Menopause - when? ____
Y/N	Difficult childbirth #__	Y/N	Painful vaginal penetration
Y/N	Prolapse or organ falling out	Y/N	Pelvic/genital pain_____
Y/N	Other /describe _____		

Males only

Y/N	Prostate disorders	Y/N	Erectile dysfunction
Y/N	Shy bladder	Y/N	Painful ejaculation
Y/N	Pelvic/genital pain location _____		
Y/N	Other /describe _____		

<u>Medications - pills, injection, patch</u>	<u>Start date</u>	<u>Reason for taking</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____

<u>Over the counter -vitamins etc</u>	<u>Start date</u>	<u>Reason for taking</u>
_____	_____	_____
_____	_____	_____

**Pelvic Symptom Questionnaire**

Bladder / Bowel Habits / Symptoms

Y/N	Trouble initiating urine stream	Y/N	Blood in stool/feces
Y/N	Urinary intermittent /slow stream	Y/N	Painful bowel movements (BM)
Y/N	Strain or push to empty bladder	Y/N	Trouble feeling bowel urge/fullness
Y/N	Difficulty stopping the urine stream	Y/N	Seepage/loss of BM without awareness
Y/N	Trouble emptying bladder completely	Y/N	Trouble controlling bowel urge
Y/N	Blood in urine	Y/N	Trouble holding back gas/feces

Y/N	Dribbling after urination	Y/N	Trouble emptying bowel completely
Y/N	Constant urine leakage	Y/N	Need to support/touch to complete BM
Y/N	Trouble feeling bladder urge/fullness	Y/N	Staining of underwear after BM
Y/N	Recurrent bladder infections	Y/N	Constipation/straining ____% of time
Y/N	Painful urination	Y/N	Current laxative use -type _____
Y/N	Other/describe _____		

Describe typical position for emptying: \_\_\_\_\_

1. Frequency of urination: awake hour's \_\_\_\_ times per day, sleep hours \_\_\_\_times per night
  2. When you have a normal urge to urinate, how long can you delay before you have to go to the toilet? \_\_\_\_\_ minutes, \_\_\_\_\_hours, \_\_\_\_\_not at all
  3. The usual amount of urine passed is: \_\_small\_\_ medium\_\_ large
  4. Frequency of bowel movements \_\_\_\_ times per day, \_\_\_\_\_times per week, or \_\_\_\_\_.
  5. The bowel movements typically are: watery \_\_ loose \_\_ formed\_\_ pellets\_\_ other \_\_\_\_\_
  6. When you have an urge to have a bowel movement, how long can you delay before you have to go to the toilet? \_\_\_\_\_ minutes, \_\_\_\_\_hours, \_\_\_\_\_not at all.
  7. If constipation is present describe management techniques \_\_\_\_\_
  8. Average fluid intake (one glass is 8 oz or one cup) \_\_\_\_\_ glasses per day.  
Of this total how many glasses are caffeinated?\_\_\_\_ glasses per day.
  9. Rate a feeling of organ "falling out" / prolapse or pelvic heaviness/pressure:  
 None present  
 Times per month (specify if related to activity or your menstrual period)  
 With standing for \_\_\_\_\_ minutes or \_\_\_\_\_hours.  
 With exertion or straining  
 Other \_\_\_\_\_
- 
- |  |   |
|--|---|
| 10a. Bladder leakage - number of episodes                  | 10b. Bowel leakage - number of episodes                 |
| <input type="checkbox"/> No leakage                        | <input type="checkbox"/> No leakage                     |
| <input type="checkbox"/> Times per day                     | <input type="checkbox"/> Times per day                  |
| <input type="checkbox"/> Times per week                    | <input type="checkbox"/> Times per week                 |
| <input type="checkbox"/> Times per month                   | <input type="checkbox"/> Times per month                |
| <input type="checkbox"/> Only with physical exertion/cough | <input type="checkbox"/> Only with exertion/strong urge |
- 
- |  |  |
|--|--|
| 11a. On average, how much urine do you leak? | 11b. How much stool do you lose?                   |
| <input type="checkbox"/> No leakage          | <input type="checkbox"/> No leakage                |
| <input type="checkbox"/> Just a few drops    | <input type="checkbox"/> Stool staining            |
| <input type="checkbox"/> Wets underwear      | <input type="checkbox"/> Small amount in underwear |
| <input type="checkbox"/> Wets outerwear      | <input type="checkbox"/> Complete emptying         |
| <input type="checkbox"/> Wets the floor      | <input type="checkbox"/> Other _____               |

12. What form of protection do you wear? (Please complete only one)  
 None  
 Minimal protection (tissue paper/paper towel/pantishields)  
 Moderate protection (absorbent product, maxi pad)  
 Maximum protection (specialty product/diaper)  
 Other \_\_\_\_\_

On average, how many pad/protection changes are required in 24 hours? \_\_\_\_\_# of pads